

## REVIEW OF SOUTH AUSTRALIA'S PLANT QUARANTINE STANDARD - PHYLLOXERA CONDITIONS

As a followup to previous correspondence in 2018 outlining VHA's comprehensive review of the phylloxera-related conditions in SA's Plant Quarantine Standard and plans for industry consultation, they have provided an update on this consultation phase as it nears conclusion.

All consultation meetings held to date with industry have been resoundingly positive and valuable feedback has been logged from the sessions. VHA have considered all feedback received to date and have modified the original proposed version 1.1 of the consolidated Condition 7 to produce **version 2.0**, which includes highlighted changes. To view changes click [here](#). VHA have also documented responses to the feedback they received during the consultation sessions so you are able to see how your feedback has been addressed in **version 2.0**.

With industry consultation closing on June 30, VHA invites you to provide any further feedback on their proposed **version 2.0 of Condition 7**. As previously conveyed, you can provide this feedback using the feedback form on the VHA website ([www.vinehealth.com.au/industry/sa-pqs-consultation](http://www.vinehealth.com.au/industry/sa-pqs-consultation)), or you can phone Vinehealth Australia on (08) 8273 0550 or email [consultation@vinehealth.com.au](mailto:consultation@vinehealth.com.au).



*Above: McLaren Vale core flute phylloxera sign (left) and Vinehealth Australia steel phylloxera sign (right.). Contact MVGWTA to order these at a discounted price.*